

## SMarT-1 Compact AC



### The EuroRoute Compact AC

Mitel Network Access Solutions announces the release of the EuroRoute Compact AC. This product is a single line Mains Powered dialer ideally suited for the Business Market.

The Product is designed around the already popular Compact range and has a very similar feature set to the EuroRoute Compact Line Powered dialer.

### Main Features Include

- **Call Home on Power up**
- **SMarT-1 Central Compatible**
- **End User Installable**
- **10 Routes/200 Search Entries**
- **Route Statistics**
- **Time of Day/Day of Week Routing**
- **Auto Answer Capability**
- **Mains Powered Unit**
- **Optional Serial Port Programming Cable and PC Based MPU Programming Utility**

For Information on Pricing and Availability please contact your Mitel Account Manager

### Full Product Specification

Description	Part Number
-------------	-------------

Compact AC (UK)	8345-001-MMD3TX
Compact AC (Euro)	8345-001-MMDXTX

**Approved for Use in :**

Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, UK

<b>Dimensions</b>
Unit Size 126 x 85 x 27 mm
Unit Weight 115g
PSU Weight 200g
Shipping weight 500g
<b>Electrical</b>
PSU 230V +/- 10% 125mA (Max)
Temperatures 0 -45 C
Humidity 0-85% RH Non Condensing
"Split" Sub Side Current Feed 25mA
<b>Physical</b>
1 Line per Unit
Power Fail Safe Routing to PTT
Line Types - Loop
Dialling Types - MF or Loop Disconnect
Parallel Phone Detection circuit
<b>Remote Access</b>
Electronic Serial Number
Call Home Interval Timer
Force Call Home Command
Routing Statistics (Peg Counts)
Programming Password Protection
SmarT-1 Central Compatibility
Auto Answer Timer

<b>Search Facilities</b>
200 Search Table Entries
Call Barring Capability
Cost Centre Code & VPN Capability
2 Search Table Sets
<b>Dialling Rules</b>
10 Routes for Different Carriers/Call Types
Single Stage Carrier Access (CLI)
Two Stage Carrier Access (PIN)
Will Function on PBX extension/Centrex
Programmable Tone Detection
Time of Day/Day of Week Routing